



## iTANK MT1-B31P+

### Support 1 x 2.5" SATA III HDD/SSD External Storage

Provide 1 x SuperSpeed Type-C interface, support 18W USB Power Delivery, and Mini Displayport for the resolution up to 4K@30Hz and support hot-swappable.

Newly designed MT1-B31P+ external storage provides three colors for user's preference. It has stylish design and can be placed and matched next to your Mac and PC. It built in SuperSpeed USB 10Gbps Type-C interface and applicable for Mac, PC and Mobile (Android). MT1-B31P+ also provides miniDisplayPort for users to connect the displayed screen, that is compatible for the existing DisplayPort devices which can be connected to the DVI, HDMI and VGA screen through the adapter cable. It just needs one cable and can offer the various applications simultaneous for transferring images, data and charging, is the most advanced and versatile interface.

### Features

1. Newly design 2.5" external storage, suitable for Mac, PC and Android Phone.
2. USB3.2 Gen 2 interface, transmission speed up to 10Gbps speed.
3. Support USB Type-C interface, plug and play.
4. Support 2.5" screwless tray, removable and hot swappable design.
5. Hard disk access indicator for quick check the data access status.
6. Three colors of stunning appearance and aluminum structure design for elegant and fast heat dissipation.
7. MT1-B31P+ provides more application:
  - Provides 18W 5V/3A power delivery
  - Provides Mini DisplayPort for users to expand the monitor

### Three stunning appearance colors, aluminum construction designed with elegant exterior and fast heat dissipation


Newly MT1-B31P+ provides three colors for user's preference. It has the sturdy aluminum construction design, which can withstand larger impacts than ordinary plastic products, and really protect your hard disk in various usage conditions. It is also for fast heat dissipation, and keeps the hard disk working stable and normal under the long time hours.



### MT1-B31P+ provides more applications

MT1-B31P+ just needs one cable and can offer the various applications simultaneous for transferring images, data and charging, is the most advanced and versatile interface.

MT1-B31P+ provides miniDisplayPort for users to connect the displayed screen, that is compatible for the existing DisplayPort devices which can be connected to the DVI \ HDMI and VGA screen through the adapter cable.




★ Whether the phone can be connected and transmitted the data will be depend on the setting of its brand.

### Removable and hot swappable, support 2.5" hard disk screwless tray

MT1-B31P+ is equipped with an easy to install tray, can support the newest 2.5" SATA HDD/SSD, and has the sturdy aluminum housing to protect your hard disk. The MT1-B31P+ combines the advantages of convenience and plug and play, can replace the tray easily and protect the hard disk securely placed and not be easily pulled out.

2.5" SATA HDD/SSD




### The Hard disk access indicator for quick data access status

MT1-B31P+ provides the hard disk access indicator. It will flash and change when the user transmits data, and that allow users to check the data access status quickly.



HDD/SSD Access Light



A. HDD access light  
 B. HDD tray handle  
 C. HDD Tray Ejection

D. USB 3.2 Gen2 Type-C (10Gbps)  
 E. Mini Display Port (DP1.1a)  
 F. Power socket

## Technical Specification

MT1-B31P+	
Interface	<ul style="list-style-type: none"> <li>• 1 x USB 3.2 Gen2 Type-C (10Gbps)</li> <li>• 1 x mini DisplayPort (DP1.1a)</li> </ul>
USB Power Delivery	Support 5V/3A (15W), 9V/2A (18W), and 12V/1A (12W) Power Delivery
Compatible Drive	1 x 2.5" SATA III ( 6.0 Gbps) HDD/SSD (Below Height 9.5mm)
Certification	CE/FCC
Storage Mode	JBOD - Independent Mode
Operating System Support	Windows, macOS, Linux, Android
Electrical and perating Requirements	<ul style="list-style-type: none"> <li>• Line voltage: 100-240V AC</li> <li>• Frequency: 50Hz to 60Hz, single phase</li> <li>• Operating temperature: 32° to 104° F (0° to 40° C)</li> <li>• Storage temperature: -4° to 116° F (-20° to 47° C)</li> <li>• Relative humidity: 5% to 95% noncondensing</li> </ul>
Size	Height : 26.95mm    Width : 90 mm    Depth : 154.6 mm
Product Code	MT1-B31P+(R)                      EAN : 4713227440868    UPC : 884826505426 MT1-B31P+(B)                      EAN : 4713227440875    UPC : 884826505433 MT1-B31P+(dark grey)    EAN : 4713227440882    UPC : 884826505440
Carton	10 pcs per carton
Package Accessories	<ul style="list-style-type: none"> <li>• MT1-B31P+ x 1 (with removable drive tray enclosed x 1)</li> <li>• USB Cable x 1</li> <li>• AC Power Cable x 1</li> <li>• AC/DC Adapter x 1</li> <li>• Quick Installation Guide x 1</li> <li>• Ejector pin</li> </ul>

